

Table 1. Council recommended OFL, ABCs and TACS for Groundfish in the Gulf of Alaska (metric tons) for 2019 and 2020 (Page 1 of 2)

| Species | Area | 2018 | | | | Catch 11/8/2018 | 2019 | | | 2020 | | |
|------------------------|-----------|---------|---------|---------|---------|--------------------|---------|---------|---------|---------|---------|--|
| | | OFL | ABC | TAC | OFL | | ABC | TAC | OFL | ABC | TAC | |
| Pollock | State GHL | n/a | 4,037 | - | | n/a | 3,396 | - | n/a | 2,722 | 0 | |
| | W (610) | n/a | 30,188 | 30,188 | 30,676 | n/a | 24,875 | 24,875 | n/a | 19,939 | 19,939 | |
| | C (620) | n/a | 79,495 | 79,495 | 79,974 | n/a | 71,459 | 71,459 | n/a | 57,279 | 57,279 | |
| | C (630) | n/a | 40,939 | 40,939 | 39,511 | n/a | 30,372 | 30,372 | n/a | 24,345 | 24,345 | |
| | WYAK | n/a | 6,833 | 6,833 | 4,125 | n/a | 5,748 | 5,748 | n/a | 4,607 | 4,607 | |
| | Subtotal | 187,059 | 161,492 | 157,455 | 154,286 | 194,230 | 135,850 | 132,454 | 148,968 | 108,892 | 106,170 | |
| | EYAK/SEO | 11,697 | 8,773 | 8,773 | - | 11,697 | 8,773 | 8,773 | 11,697 | 8,773 | 8,773 | |
| Total | 198,756 | 170,265 | 166,228 | 154,286 | 205,927 | 144,623 | 141,227 | 160,665 | 117,665 | 114,943 | | |
| Pacific Cod | W | n/a | 8,082 | 5,657 | 4,374 | n/a | 7,633 | 5,343 | n/a | 9,695 | 6786 | |
| | C | n/a | 8,118 | 6,089 | 5,120 | n/a | 7,667 | 5,750 | n/a | 9,738 | 7303 | |
| | E | n/a | 1,800 | 1,350 | 101 | n/a | 1,700 | 1,275 | n/a | 2,159 | 1619 | |
| | Total | 23,565 | 18,000 | 13,096 | 9,595 | 23,669 | 17,000 | 12,368 | 26,078 | 21,592 | 15,708 | |
| Sablefish | W | n/a | 1,544 | 1,544 | 1,351 | n/a | 1,581 | 1,581 | n/a | 2,105 | 2105 | |
| | C | n/a | 5,158 | 5,158 | 5,617 | n/a | 5,178 | 5,178 | n/a | 6,931 | 6931 | |
| | WYAK | n/a | 1,829 | 1,829 | 1,804 | n/a | 1,828 | 1,828 | n/a | 2,433 | 2433 | |
| | SEO | n/a | 2,974 | 2,974 | 2,944 | n/a | 2,984 | 2,984 | n/a | 3,993 | 3993 | |
| Total | 22,703 | 11,505 | 11,505 | 11,716 | 25,227 | 11,571 | 11,571 | 34,782 | 15,462 | 15,462 | | |
| Shallow-Water Flatfish | W | n/a | 25,206 | 13,250 | 56 | n/a | 25,620 | 13,250 | n/a | 25,952 | 13250 | |
| | C | n/a | 25,315 | 25,315 | 2,664 | n/a | 25,731 | 25,371 | n/a | 26,065 | 26065 | |
| | WYAK | n/a | 2,242 | 2,242 | 1 | n/a | 2,279 | 2,279 | n/a | 2,308 | 2308 | |
| | EYAK/SEO | n/a | 1,925 | 1,925 | 1 | n/a | 1,957 | 1,957 | n/a | 1,983 | 1983 | |
| Total | 67,240 | 54,688 | 42,732 | 2,722 | 68,309 | 55,587 | 42,857 | 69,167 | 56,308 | 43,606 | | |
| Deep-Water Flatfish | W | n/a | 413 | 413 | 3 | n/a | 416 | 416 | n/a | 420 | 420 | |
| | C | n/a | 3,400 | 3,400 | 181 | n/a | 3,443 | 3,443 | n/a | 3,488 | 3488 | |
| | WYAK | n/a | 3,239 | 3,239 | 6 | n/a | 3,280 | 3,280 | n/a | 3,323 | 3323 | |
| | EYAK/SEO | n/a | 2,332 | 2,332 | 5 | n/a | 2,362 | 2,362 | n/a | 2,393 | 2393 | |
| Total | 11,294 | 9,385 | 9,385 | 195 | 11,434 | 9,501 | 9,501 | 11,581 | 9,624 | 9,624 | | |
| Rex Sole | W | n/a | 3,086 | 3,086 | 83 | n/a | 2,951 | 2,951 | n/a | 2,956 | 2,956 | |
| | C | n/a | 8,739 | 8,739 | 1,553 | n/a | 8,357 | 8,357 | n/a | 8,371 | 8,371 | |
| | WYAK | n/a | 1,737 | 1,737 | 2 | n/a | 1,657 | 1,657 | n/a | 1,664 | 1,664 | |
| | EYAK/SEO | n/a | 1,811 | 1,811 | - | n/a | 1,727 | 1,727 | n/a | 1,734 | 1,734 | |
| Total | 18,706 | 15,373 | 15,373 | 1,638 | 17,889 | 14,692 | 14,692 | 17,942 | 14,725 | 14,725 | | |
| Arrowtooth Flounder | W | n/a | 37,253 | 14,500 | 1,043 | n/a | 35,994 | 14,500 | n/a | 34,765 | 14,500 | |
| | C | n/a | 73,480 | 48,000 | 16,391 | n/a | 70,995 | 70,995 | n/a | 68,575 | 68,575 | |
| | WYAK | n/a | 16,468 | 6,900 | 39 | n/a | 15,911 | 6,900 | n/a | 15,368 | 6,900 | |
| | EYAK/SEO | n/a | 23,744 | 6,900 | 25 | n/a | 22,941 | 6,900 | n/a | 22,157 | 6,900 | |
| Total | 180,697 | 150,945 | 76,300 | 17,498 | 174,598 | 145,841 | 99,295 | 168,634 | 140,865 | 96,875 | | |
| Flathead Sole | W | n/a | 12,690 | 8,650 | 151 | n/a | 13,234 | 8,650 | n/a | 13,771 | 8,650 | |
| | C | n/a | 20,238 | 15,400 | 1,894 | n/a | 21,109 | 15,400 | n/a | 21,965 | 15,400 | |
| | WYAK | n/a | 1,932 | 1,932 | - | n/a | 2,016 | 2,016 | n/a | 2,097 | 2,097 | |
| | S | n/a | 406 | 406 | - | n/a | 423 | 423 | n/a | 440 | 440 | |
| Total | 43,011 | 35,266 | 26,388 | 2,045 | 44,865 | 36,782 | 26,489 | 46,666 | 38,273 | 26,587 | | |

Sources: 2018 OFLs, ABCs, and TACs are from the harvest specifications adopted by the Council in December 2017; 2018 catches through November 8, 2018 from AKR Catch Accounting.

Table 1. Council recommended OFL, ABCs and TACS for Groundfish in the Gulf of Alaska (metric tons) for 2019 and 2020 (Page 2 of 2)

| Species | Area | 2018 | | | | Catch as of 11/8/18 | 2019 | | | 2020 | | |
|------------------------------------|----------|----------------|----------------|----------------|----------------|------------------------|----------------|----------------|----------------|----------------|----------------|--|
| | | OFL | ABC | TAC | OFL | | ABC | TAC | OFL | ABC | TAC | |
| Pacific ocean perch | W | n/a | 3,312 | 3,312 | 3,225 | n/a | 3,227 | 3,227 | n/a | 3,125 | 3,125 | |
| | C | n/a | 20,112 | 20,112 | 17,644 | n/a | 19,646 | 19,646 | n/a | 19,024 | 19,024 | |
| | WYAK | n/a | 3,371 | 3,371 | 3,352 | n/a | 3,296 | 3,296 | n/a | 3,192 | 3,192 | |
| | W/C/WYAK | 31,860 | 26,795 | 26,795 | 24,221 | 31,113 | 26,169 | 26,169 | 30,128 | 25,341 | 25,341 | |
| | SEO | 2,902 | 2,441 | 2,441 | - | 2,838 | 2,386 | 2,386 | 2,748 | 2,311 | 2,311 | |
| | Total | 34,762 | 29,236 | 29,236 | 24,221 | 33,951 | 28,555 | 28,555 | 32,876 | 27,652 | 27,652 | |
| Northern Rockfish | W | n/a | 420 | 420 | 297 | n/a | 1,190 | 1,190 | n/a | 1,122 | 1,122 | |
| | C | n/a | 3,261 | 3,261 | 2,047 | n/a | 3,338 | 3,338 | n/a | 3,147 | 3,147 | |
| | E | n/a | 4 | - | - | n/a | 1 | - | n/a | 1 | - | |
| | Total | 4,380 | 3,685 | 3,681 | 2,344 | 5,402 | 4,529 | 4,528 | 5,093 | 4,270 | 4,269 | |
| Shortraker Rockfish | W | n/a | 44 | 44 | 38 | n/a | 44 | 44 | n/a | 44 | 44 | |
| | C | n/a | 305 | 305 | 315 | n/a | 305 | 305 | n/a | 305 | 305 | |
| | E | n/a | 514 | 514 | 402 | n/a | 514 | 514 | n/a | 514 | 514 | |
| | Total | 1,151 | 863 | 863 | 755 | 1,151 | 863 | 863 | 1,151 | 863 | 863 | |
| Dusky Rockfish | W | n/a | 146 | 146 | 50 | n/a | 781 | 781 | n/a | 774 | 774 | |
| | C | n/a | 3,502 | 3,502 | 2,831 | n/a | 2,764 | 2,764 | n/a | 2,742 | 2,742 | |
| | WYAK | n/a | 232 | 232 | 11 | n/a | 95 | 95 | n/a | 94 | 94 | |
| | EYAK/SEO | n/a | 77 | 77 | 7 | n/a | 60 | 60 | n/a | 60 | 60 | |
| | Total | 4,841 | 3,957 | 3,957 | 2,899 | 4,521 | 3,700 | 3,700 | 4,484 | 3,670 | 3,670 | |
| Rougheye and Blackspotted Rockfish | W | n/a | 176 | 176 | 79 | n/a | 174 | 174 | n/a | 172 | 172 | |
| | C | n/a | 556 | 556 | 434 | n/a | 550 | 550 | n/a | 545 | 545 | |
| | E | n/a | 712 | 712 | 203 | n/a | 704 | 704 | n/a | 697 | 697 | |
| | Total | 1,735 | 1,444 | 1,444 | 716 | 1,715 | 1,428 | 1,428 | 1,699 | 1,414 | 1,414 | |
| Demersal shelf rockfish | Total | 394 | 250 | 250 | 133 | 411 | 261 | 261 | 411 | 261 | 261 | |
| Thornyhead Rockfish | W | n/a | 344 | 344 | 160 | n/a | 326 | 326 | n/a | 326 | 326 | |
| | C | n/a | 921 | 921 | 665 | n/a | 911 | 911 | n/a | 911 | 911 | |
| | E | n/a | 773 | 773 | 325 | n/a | 779 | 779 | n/a | 779 | 779 | |
| | Total | 2,717 | 2,038 | 2,038 | 1,150 | 2,688 | 2,016 | 2,016 | 2,688 | 2,016 | 2,016 | |
| Other Rockfish | W/C | n/a | 1,737 | 1,737 | 1,030 | n/a | 1,737 | 1,737 | n/a | 1,737 | 1,737 | |
| | WYAK | n/a | 368 | 368 | 126 | n/a | 368 | 368 | n/a | 368 | 368 | |
| | EYAK/SEO | n/a | 3,489 | 200 | 51 | n/a | 3,489 | 3,489 | n/a | 3,489 | 3,489 | |
| | Total | 7,356 | 5,594 | 2,305 | 1,207 | 7,356 | 5,594 | 5,594 | 7,356 | 5,594 | 5,594 | |
| Atka mackerel | Total | 6,200 | 4,700 | 3,000 | 1,431 | 6,200 | 4,700 | 3,000 | 6,200 | 4,700 | 3,000 | |
| Big Skate | W | n/a | 504 | 504 | 312 | n/a | 504 | 504 | n/a | 504 | 504 | |
| | C | n/a | 1,774 | 1,774 | 880 | n/a | 1,774 | 1,774 | n/a | 1,774 | 1,774 | |
| | E | n/a | 570 | 570 | 70 | n/a | 570 | 570 | n/a | 570 | 570 | |
| | Total | 3,797 | 2,848 | 2,848 | 1,262 | 3,797 | 2,848 | 2,848 | 3,797 | 2,848 | 2,848 | |
| Longnose Skate | W | n/a | 149 | 149 | 58 | n/a | 149 | 149 | n/a | 149 | 149 | |
| | C | n/a | 2,804 | 2,804 | 553 | n/a | 2,804 | 2,804 | n/a | 2,804 | 2,804 | |
| | E | n/a | 619 | 619 | 232 | n/a | 619 | 619 | n/a | 619 | 619 | |
| | Total | 4,763 | 3,572 | 3,572 | 843 | 4,763 | 3,572 | 3,572 | 4,763 | 3,572 | 3,572 | |
| Other Skates | GOA-wide | 1,845 | 1,384 | 1,384 | 681 | 1,845 | 1,384 | 1,384 | 1,845 | 1,384 | 1,384 | |
| Sculpins | GOA-wide | 6,958 | 5,301 | 5,301 | 550 | 6,958 | 5,301 | 5,301 | 6,958 | 5,301 | 5,301 | |
| Sharks | GOA-wide | 6,020 | 4,514 | 4,514 | 2,886 | 10,913 | 8,184 | 8,184 | 10,913 | 8,184 | 8,184 | |
| Squids | GOA-wide | 1,516 | 1,137 | 1,137 | 41 | - | - | - | - | - | - | |
| Octopuses | GOA-wide | 1,300 | 975 | 975 | 139 | 1,300 | 975 | 975 | 1,300 | 975 | 975 | |
| TOTAL | | 655,707 | 536,921 | 427,512 | 240,955 | 664,889 | 509,507 | 430,209 | 627,049 | 487,218 | 408,533 | |

Sources: 2018 OFLs, ABCs, and TACs are from the harvest specifications adopted by the Council in December 2017; 2018 catches through November 8, 2018 from AKR Catch Accounting.

Table 1. Council recommended OFL, ABCs and TACS for Groundfish in the Bering Sea/Aleutian Islands (metric tons) for 2019-2020.

| Species | Area | 2018 | | | | Catch as of 11/3/2018 | 2019 | | | 2020 | | |
|-----------------------------------|----------|------------------|------------------|------------------|------------------|--------------------------|------------------|------------------|------------------|------------------|------------------|--|
| | | OFL | ABC | TAC | OFL | | ABC | TAC | OFL | ABC | TAC | |
| Pollock | EBS | 4,797,000 | 2,592,000 | 1,364,341 | 1,376,730 | 3,914,000 | 2,163,000 | 1,397,000 | 3,082,000 | 1,792,000 | 1,420,000 | |
| | AI | 49,289 | 40,788 | 19,000 | 1,805 | 64,240 | 52,887 | 19,000 | 66,981 | 55,125 | 19,000 | |
| | Bogoslof | 130,428 | 60,800 | 450 | 9 | 183,080 | 137,310 | 75 | 183,080 | 137,310 | 75 | |
| Pacific cod | BS | 238,000 | 201,000 | 188,136 | 168,962 | 216,000 | 144,800 | 166,475 | 183,000 | 123,200 | 124,625 | |
| | AI | 28,700 | 21,500 | 15,695 | 14,549 | 27,400 | 20,600 | 14,214 | 27,400 | 20,600 | 14,214 | |
| Sablefish | BS | 2,887 | 1,464 | 1,464 | 1,573 | 3,221 | 1,489 | 1,489 | 4,441 | 1,994 | 1,994 | |
| | AI | 3,917 | 1,988 | 1,988 | 644 | 4,350 | 2,008 | 2,008 | 5,997 | 2,688 | 2,688 | |
| Yellowfin sole | BSAI | 306,700 | 277,500 | 154,000 | 124,519 | 290,000 | 263,200 | 154,000 | 284,000 | 257,800 | 166,425 | |
| Greenland turbot | BSAI | 13,148 | 11,132 | 5,294 | 1,825 | 11,362 | 9,658 | 5,294 | 10,476 | 8,908 | 5,294 | |
| | BS | n/a | 9,718 | 5,125 | 1,664 | n/a | 8,431 | 5,125 | n/a | 7,777 | 5,125 | |
| | AI | n/a | 1,414 | 169 | 161 | n/a | 1,227 | 169 | n/a | 1,131 | 169 | |
| Arrowtooth flounder | BSAI | 76,757 | 65,932 | 13,621 | 6,506 | 82,939 | 70,673 | 8,000 | 83,814 | 71,411 | 8,000 | |
| Kamchatka flounder | BSAI | 11,347 | 9,737 | 5,000 | 3,053 | 10,965 | 9,260 | 5,000 | 11,260 | 9,509 | 5,000 | |
| Northern rock sole | BSAI | 147,300 | 143,100 | 47,100 | 28,219 | 122,000 | 118,900 | 47,100 | 147,500 | 143,700 | 57,100 | |
| Flathead sole | BSAI | 79,862 | 66,773 | 14,500 | 10,649 | 80,918 | 66,625 | 14,500 | 83,190 | 68,448 | 14,500 | |
| Alaska plaice | BSAI | 41,170 | 34,590 | 16,100 | 23,028 | 39,880 | 33,600 | 18,000 | 37,860 | 31,900 | 18,000 | |
| Other flatfish | BSAI | 17,591 | 13,193 | 4,000 | 5,974 | 21,824 | 16,368 | 6,500 | 21,824 | 16,368 | 6,500 | |
| Pacific Ocean perch | BSAI | 51,675 | 42,509 | 37,361 | 33,506 | 61,067 | 50,594 | 44,069 | 59,396 | 49,211 | 43,625 | |
| | BS | n/a | 11,861 | 11,861 | 9,272 | | 14,675 | 14,675 | | 14,274 | 14,274 | |
| | EAI | n/a | 10,021 | 9,000 | 8,067 | | 11,459 | 11,009 | | 11,146 | 11,146 | |
| | CAI | n/a | 7,787 | 7,500 | 7,312 | | 8,435 | 8,385 | | 8,205 | 8,205 | |
| | WAI | n/a | 12,840 | 9,000 | 8,855 | | 16,025 | 10,000 | | 15,586 | 10,000 | |
| Northern rockfish | BSAI | 15,888 | 12,975 | 6,100 | 5,730 | 15,507 | 12,664 | 6,500 | 15,180 | 12,396 | 6,500 | |
| Blackspotted/ Rougeye Rockfish | BSAI | 749 | 613 | 225 | 226 | 547 | 451 | 279 | 658 | 545 | 279 | |
| | EBS/EAI | n/a | 374 | 75 | 54 | n/a | 288 | 75 | n/a | 345 | 75 | |
| | CAI/WAI | n/a | 239 | 150 | 172 | n/a | 163 | 204 | n/a | 200 | 204 | |
| Shortraker rockfish | BSAI | 666 | 499 | 150 | 238 | 722 | 541 | 358 | 722 | 541 | 358 | |
| Other rockfish | BSAI | 1,816 | 1,362 | 845 | 944 | 1,793 | 1,344 | 663 | 1,793 | 1,344 | 663 | |
| | BS | n/a | 791 | 275 | 201 | | 956 | 275 | | 956 | 275 | |
| | AI | n/a | 571 | 570 | 743 | | 388 | 388 | | 388 | 388 | |
| Atka mackerel | BSAI | 108,600 | 92,000 | 71,000 | 67,954 | 79,200 | 68,500 | 57,951 | 73,400 | 63,400 | 53,635 | |
| | EAI/BS | n/a | 36,820 | 36,500 | 33,646 | | 23,970 | 23,970 | | 22,190 | 22,190 | |
| | CAI | n/a | 32,000 | 21,000 | 20,889 | | 14,390 | 14,390 | | 13,310 | 13,310 | |
| | WAI | n/a | 23,180 | 13,500 | 13,419 | | 30,140 | 19,591 | | 27,900 | 18,135 | |
| Skates | BSAI | 46,668 | 39,082 | 27,000 | 27,815 | 51,152 | 42,714 | 26,000 | 48,944 | 40,813 | 26,000 | |
| Sculpins | BSAI | 53,201 | 39,995 | 5,000 | 4,882 | 53,201 | 39,995 | 5,000 | 53,201 | 39,995 | 5,000 | |
| Sharks | BSAI | 689 | 517 | 180 | 96 | 689 | 517 | 125 | 689 | 517 | 125 | |
| Squids | BSAI | 6,912 | 5,184 | 1,200 | 1,731 | n/a | n/a | 0 | n/a | n/a | 0 | |
| Octopuses | BSAI | 4,769 | 3,576 | 250 | 270 | 4,769 | 3,576 | 400 | 4,769 | 3,576 | 400 | |
| Total | BSAI | 6,235,729 | 3,779,809 | 2,000,000 | 1,911,437 | 5,340,826 | 3,331,274 | 2,000,000 | 4,491,575 | 2,953,299 | 2,000,000 | |

Sources: 2018 OFLs, ABCs, and TACs are from the harvest specifications adopted by the Council in December 2017; 2018 catches through November 3, 2018 from AKR Catch Accounting.